

## 运输危险性鉴定书

Hazard Classification and Identification Report

	the same property in the local day is not the same of		of Goods		
	中文	锂离子电池组 HC-149 24V 10	0Ah 240Wh		
样品名称	Chinese				
Sample Name		Linion Data Data Data Stream			
	英文	Li-ion Battery Pack HC-149	9 24V 10Ah 240Wh		
	English				
委托	单位	金华市恒创新能源有限公司			
Applicant		Jinhua Hengchuang New Ener	gy Co.,LTD		
生产单位		金华市恒创新能源有限公司			
Manufacturer		Jinhua Hengchuang New Energy Co., LTD			
检验方法、程序		国际海事组织《国际海运危险货物规则》(2022版) IMO International Maritime Dangerous Goods Code (2022 Edition)			
Inspection method and procedure			Dangerous Goods Code (2022 Edi	tion)	
样品外观 Sample appearance		黑色塑胶外壳 Black Plastics cement shell			
		/	- ANT DEA.		
	牛信息 nformation	8			
序号	电池种类	型号	容量Capacity	放置方式	
	attery type 电锂离子电池组	Model	/锂含量Li content	Placement	
	电锂离于电池组 rgeable Li-ion	HC-149	10Ah 240Wh	电池单独运输 Battery only	
	battery			barrery only	
杂 M:	· 厄险性识别(H <sup>:</sup> 项。 iscellaneous.	azards identification)			
中国的中国的中国的中国的中国中国的中国中国的中国中国中国中国中国中国中国中国中	頃。 iscellaneous. 海运按照国际 <b>向de)</b> hipping Name:Lit ass or Division Number:UN3480	每事组织《国际海运危险货 hium ion batteries :9 aging requirements)	そ物规则》办理的类项 (Suggest	tion according to IMO IMD	

审核 Checker:

主检 Appraiser:

存着市场



运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods NO. 212400515446580

	Page 2/3
序号 No.	检验结果及其他事项 Inspection results and other things
1	本鉴定书所述锂电池按照《国际海运危险货物规则》(2022版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2022 EDITION 2.9.4.5.
2	本鉴定书所述锂电池已通过联合国《试验和标准手册》第111部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 812100000762169 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.
3	相关要求按照UN3480规定办理。 Suggestion according to UN3480.
4	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.
5	每个包装件必须使用9类锂电池危险性标签(9A号)。但是,对于货运装置的标牌,标牌应符合9号。 Each package must be labelled with the Class 9-Lithium Battery hazard label(Model No.9A). However, for placarding of cargo transport units, the placard shall correspond to Model No.9.
6	
7	
	-验证码:879274-

p

运输危险性鉴定书 Hazard Classification and Identification Report for Transport of Goods

NO. 212400515446580 Page 3/3



2

\*\*\*报告结束\*\*\*